




WESSLING GmbH · Johann Krane Weg 42 · 48149 Münster



GmbH

4

Contact:

Phone:

E-Mail:

Date:

12.05.2025

Certificate of Analysis

Sample:	Nedcann JOG 23/01		Page 1 of 5
Batch/Lot-No.:	FP0186	Stability Time Point:	--
Sample Amount:	10 x 10 g	Container:	PE-Bag

Report Date	12.05.2025	Date of Receipt:	23.04.2025	Order No.:	CMS-02521-25
Date of Order:	22.04.2025	Start of Testing:	25.04.2025	Report-No.:	CMS25-007183-1
Delivery No.:	VA00302164	End of Testing:	12.05.2025	Sample-No.:	25-057821-07

Parameter	Method	Specification	Result
Chemical analysis	according to DAB <Cannabisblüten>*1		
Odour	organoleptic, DAB	complies	complies
Identity A	macroscopic, DAB	complies	complies
Identity B	microscopic, DAB	complies	complies
Identity C	Ph. Eur. 2.2.27, DAB	complies	complies
Foreign Matter	Ph. Eur. 2.8.2, DAB	< 2 %	0 %
Loss on drying	Ph. Eur. 2.2.32, DAB	≤ 10 %	7.06 %
Cannabinol (CBN)	Ph. Eur. 2.2.29, DAB	≤ 1.0 % (w/w)	0.02 % (w/w)
Δ ⁹ -Tetrahydrocannabinol (Δ ⁹ -THC)	Ph. Eur. 2.2.29, DAB	for information % (w/w)	1.17 % (w/w)
Δ ⁹ -Tetrahydrocannabinolic acid (Δ ⁹ -THC-A)*2	Ph. Eur. 2.2.29, DAB	for information % (w/w)	20.42 % (w/w)
Cannabidiol (CBD)	Ph. Eur. 2.2.29, DAB	for information % (w/w)	< LOQ *3
Cannabidiolic acid (CBD-A)*2	Ph. Eur. 2.2.29, DAB	for information % (w/w)	0.10 % (w/w)
Total Δ ⁹ -THC	Ph. Eur. 2.2.29, DAB	20.7 – 25.3 % (w/w)	21.59 % (w/w)
Total CBD	Ph. Eur. 2.2.29, DAB	≤ 1 % (w/w)	0.10 % (w/w)

*1 executive Site: Pharmaanalytik Münster; assay results relative to the dry matter

*2 Indication of Δ⁹-THC-A in Δ⁹-THC equivalents; Indication of CBD-A in CBD equivalents

*3 LOQ= limit of quantification; LOQ THC, THC-A, CBD and CBD-A: 0.05 %; LOQ CBN: 0.01 %

Parameter	Method	Specification	Result
Microbiological evaluation			
TAMC/g	Ph. Eur. 2.6.12, Ph. Eur. 5.1.8 C*	≤ 10 ⁵ CFU/g**	300 CFU/g
TYMC/g	Ph. Eur. 2.6.12, Ph. Eur. 5.1.8 C*	≤ 10 ⁴ CFU/g**	100 CFU/g
<i>Escherichia coli</i> /g	Ph. Eur. 2.6.31, Ph. Eur. 5.1.8 C*	absent/1 g	absent/1 g
<i>Salmonella</i> /25 g	Ph. Eur. 2.6.31, Ph. Eur. 5.1.8 C*	absent/25 g	absent/25 g
Bile-tolerant gramnegative bacteria/g	Ph. Eur. 2.6.31, Ph. Eur. 5.1.8 C*	≤ 10 ⁴ CFU/g	< 10 CFU/g

* Executive site: Pharmaanalytik Münster

** Maximum acceptable count 5 * 10⁴ CFU/g

Report-No.: CMS25-007183-1
Sample-No.: 25-057821-07
Order-No.: CMS-02521-25
Date: 12.05.2025



WESSLING GmbH
Johann-Krane-Weg 42 · 48149 Münster
www.wessling.de

Certificate of Analysis

Sample:	Nedcann JOG 23/01	Page 2 of 5
---------	-------------------	-------------

Parameter	Method	Specification in µg/kg	Result in µg/kg
Aflatoxins	VA45110, Ph. Eur. 2.8.18* ¹		
Aflatoxin B1	LC-MS/MS	max. 2	n.n.* ²
Aflatoxin B2	LC-MS/MS	---	n.n.* ²
Aflatoxin G1	LC-MS/MS	---	n.n.* ²
Aflatoxin G2	LC-MS/MS	---	n.n.* ²
Total amount of Aflatoxins	LC-MS/MS	max. 4	n.n.* ²

*¹ executive Site: Cooperation lab

*² n.n. = below limit of quantification (LoQ); LoQ Aflatoxin B1, B2, G1: 0.5 µg/kg; LoQ Aflatoxin G2: 1.0 µg/kg

Parameter	Method	Specification in mg/kg	Result in mg/kg
Heavy Metals	Ph. Eur. 2.4.27 / Ph. Eur. 2.2.58*		
Lead	ICP-MS	max. 0.5	< 0.1
Cadmium	ICP-MS	max. 0.3	< 0.05
Mercury	ICP-MS	max. 0.1	< 0.05
Arsenic	ICP-MS	max. 0.2	< 0.1

*executive site: Cooperation lab

Parameter in mg/kg	Method	Limit value	Limit of Quantification	Result
Residue of Pesticides	VA 15000, Ph. Eur. 2.8.13*			
Acephate	LC-MS/MS	0.1	0.05	n.n.
Alachlor	LC-MS/MS	0.05	0.05	n.n.
Sum of Aldrin und Dieldrin	GC-MS/MS	0.05	0.05	n.n.
Azinphos-ethyl	LC-MS/MS	0.1	0.05	n.n.
Azinphos-methyl	LC-MS/MS	1	0.5	n.n.
Bromophos-ethyl	GC-MS/MS	0.05	0.05	n.n.
Bromophos-methyl	GC-MS/MS	0.05	0.02	n.n.
Bromopropylat	GC-MS/MS	3	1	n.n.
Chinalphos (=Quinalphos)	LC-MS/MS	0.05	0.02	n.n.
Chlordane (Sum of cis-, trans- and Oxy-)	GC-MS/MS	0.05	0.05 / 0.02 / 0.1	n.n.
Chlorfenvinphos	GC-MS/MS	0.5	0.2	n.n.
Chlorpyrifos-ethyl	GC-MS/MS	0.2	0.1	n.n.
Chlorpyrifos-methyl	GC-MS/MS	0.1	0.05	n.n.
Chlorthal-dimethyl	GC-MS/MS	0.01	0.05	n.n.
Cyfluthrin (Summe)	GC-MS/MS	0.1	0.25	n.n.
λ-Cyhalothrin	GC-MS/MS	1	0.5	n.n.
Cypermethrin and Isomere (Sum)	GC-MS/MS	1	0.5	n.n.
DDT (Sum of o,p'-DDE, p,p'-DDE, o,p'-DDT, p,p'-DDT, o,p'-TDE and p,p'-TDE)	GC-MS/MS	1	0.1	n.n.
Deltamethrin	GC-MS/MS	0.5	0.25	n.n.
Diazinon	GC-MS/MS	0.5	0.25	n.n.
Dichlofluanid	LC-MS/MS	0.1	0.05	n.n.
Dichlorvos	LC-MS/MS	1	0.5	n.n.
Dicofol	GC-MS/MS	0.5	0.2	n.n.
Dimethoat und Omethoat (Sum)	LC-MS/MS	0.1	0.05	n.n.

Messergebnisse beziehen sich ausschließlich auf die uns vorliegenden Prüfobjekte.
Prüfberichte dürfen ohne Genehmigung der WESSLING GmbH nicht auszugsweise vervielfältigt werden.
GMP-Compliance-Zertifikate: DE_NW_05_GMP_2024_0035 / DE_NW_06_GMP_2023_0007
Herstellungs-/Einfuhrerlaubnisse: DE_NW_05_MIA_2024_0018 / DE_NW_06_MIA_2023_0002

Geschäftsführer:
Sven Polenz
Martin Stener
Thomas Symura
HRB 1953 AG Steinfurt

Report-No.: CMS25-007183-1
Sample-No.: 25-057821-07
Order-No.: CMS-02521-25
Date: 12.05.2025



WESSLING GmbH
Johann-Krane-Weg 42 · 48149 Münster
www.wessling.de

Certificate of Analysis

Sample:	Nedcann JOG 23/01	Page 3 of 5
---------	-------------------	-------------

Parameter in mg/kg	Method	Limit value	Limit of Quantification	Result
Endosulfan (Sum of Isomers and Endosulfansulfat)	GC-MS/MS	3	0.5	n.n.
Endrin	GC-MS/MS	0.05	0.05	n.n.
Ethion	LC-MS/MS	2	1	n.n.
Etrimphos	LC-MS/MS	0.05	0.02	n.n.
Fenchlorophos (Sum of Fenchlorphos and Fenchlorphos-oxon)	GC-MS/MS	0.1	0.05	n.n.
Fenitrothion	GC-MS/MS	0.5	0.25	n.n.
Fenpropathrin	LC-MS/MS	0.03	0.02	n.n.
Fensulfothion (Sum of Fensulfothion, Fensulfothion-oxon, Fensulfothion-oxon-sulfon and Fensulfothion-sulfon)	LC-MS/MS	0.05	0.02	n.n.
Fenthion (Sum of Fenthion, Fenthion-oxon, Fenthion-oxon-sulfon, Fenthion-oxon-sulfoxid, Fenthion-sulfon and Fenthion-sulfoxid)	LC-MS/MS	0.05	0.02	n.n.
Fenvalerat	GC-MS/MS	1.5	1	n.n.
Flucythrinat	LC-MS/MS	0.05	0.25	n.n.
Fluvalinat-tau	LC-MS/MS	0.05	0.2	n.n.
Fonofos	GC-MS/MS	0.05	0.02	n.n.
Heptachlor (Sum of Heptachlor, cis-Heptachloepoxid and trans-Heptachloepoxid)	GC-MS/MS	0.05	0.05	n.n.
Hexachlorbenzol	GC-MS/MS	0.1	0.05	n.n.
Hexachlorcyclohexan (Sum of a-, b-, d- and e- Isomers)	GC-MS/MS	0.3	0.05	n.n.
Lindan (g-Hexachlorcyclohexan)	GC-MS/MS	0.6	0.05	n.n.
Malathion and Malaoxon (Sum)	LC-MS/MS	1	0.1	n.n.
Mecarbam	LC-MS/MS	0.05	0.01	n.n.
Methacriphos	GC-MS/MS	0.05	0.02	n.n.
Methamidophos	LC-MS/MS	0.05	0.02	n.n.
Methidathion	LC-MS/MS	0.2	0.1	n.n.
Methoxychlor	GC-MS/MS	0.05	1	n.n.
Mirex	GC-MS/MS	0.01	0.5	n.n.
Monocrotophos	LC-MS/MS	0.1	0.05	n.n.
Parathion-ethyl und Paraoxon-ethyl (Sum)	LC-MS/MS	0.5	0.25	n.n.
Parathion-methyl und Paraoxon-methyl (Sum)	LC-MS/MS	0.2	0.2	n.n.
Pendimethalin	LC-MS/MS	0.5	0.1	n.n.
Pentachloranisol	GC-MS/MS	0.01	0.05	n.n.
Permethrin and Isomere (Sum)	LC-MS/MS	1	0.5	n.n.
Phosalon	LC-MS/MS	0.1	0.05	n.n.
Phosmet	LC-MS/MS	0.05	0.02	n.n.
Piperonylbutoxid	LC-MS/MS	3	0.1	n.n.
Pirimiphos-ethyl	LC-MS/MS	0.05	0.02	n.n.
Pirimiphos-methyl (Sum of Pirimiphos-methyl and N-Desethyl-pirimiphos-methyl)	LC-MS/MS	4	1	n.n.
Procymidon	GC-MS/MS	0.1	0.1	n.n.
Profenophos	LC-MS/MS	0.1	0.05	n.n.
Prothiophos	LC-MS/MS	0.05	0.05	n.n.

Messergebnisse beziehen sich ausschließlich auf die uns vorliegenden Prüfobjekte.
Prüfberichte dürfen ohne Genehmigung der WESSLING GmbH nicht auszugsweise vervielfältigt werden.
GMP-Compliance-Zertifikate: DE_NW_05_GMP_2024_0035 / DE_NW_06_GMP_2023_0007
Herstellungs-/Einfuhrerlaubnisse: DE_NW_05_MIA_2024_0018 / DE_NW_06_MIA_2023_0002

Geschäftsführer:
Sven Polenz
Martin Stener
Thomas Symura
HRB 1953 AG Steinfurt

Report-No.: CMS25-007183-1
Sample-No.: 25-057821-07
Order-No.: CMS-02521-25
Date: 12.05.2025



WESSLING GmbH
Johann-Krane-Weg 42 · 48149 Münster
www.wessling.de

Certificate of Analysis

Sample:	Nedcann JOG 23/01	Page 4 of 5
---------	-------------------	-------------

Parameter in mg/kg	Method	Limit value	Limit of Quantification	Result
Pyrethrum (Sum of Cinerin I, Cinerin II, Jasmolin I, Jasmolin II, Pyrethrin I and Pyrethrin II)	LC-MS/MS	3	1	n.n.
Quintozen (Sum of Quintozen, Pentachloranilin and Methylpentachlorophenylsulfid)	GC-MS/MS	1	0.2	n.n.
S-421 (Octachlorodipropyl ether or N-Desethyl-pirimiphos-methyl)	GC-MS/MS	0.02	0.02	n.n.
Tecnazen	GC-MS/MS	0.05	0.02	n.n.
Vinclozolin	GC-MS/MS	0.4	0.2	n.n.
>>>>further risk based pesticides				n.n.
Acetamiprid	LC-MS/MS	8.4**	1	n.n.
Aldicarb	LC-MS/MS	0.6**	0.3	n.n.
Azadirachtin	LC-MS/MS	12**	1	n.n.
Azoxystrobin	LC-MS/MS	24**	1	n.n.
Bifenazat	LC-MS/MS	1.2**	1	n.n.
Bifenthrin	LC-MS/MS	1.8**	1	n.n.
Boscalid	LC-MS/MS	4.8**	1	n.n.
Carbaryl	LC-MS/MS	0.9**	0.5	n.n.
Carbofuran (incl. Carbosulfan)	LC-MS/MS	0.24**	0.1	n.n.
Chlorantraniliprol (Rynaxapyr)	LC-MS/MS	187.2**	0.1	n.n.
Chlorfenapyr	GC-MS/MS	1.8**	1	n.n.
Coumaphos	LC-MS/MS	0.06**	0.05	n.n.
Daminozid	LC-MS/MS	54**	1	n.n.
Dimethomorph	LC-MS/MS	6**	1	n.n.
Ethoprophos	LC-MS/MS	0.048**	0.02	n.n.
Etofenprox	LC-MS/MS	3.6**	1	n.n.
Etoxazol	LC-MS/MS	4.8**	1	n.n.
Fenhexamid	LC-MS/MS	24**	1	n.n.
Fenoxycarb	LC-MS/MS	6.36**	1	n.n.
Fipronil	LC-MS/MS	0.024**	0.01	n.n.
Flonicamid	LC-MS/MS	3**	1	n.n.
Fludioxonil	LC-MS/MS	44.4**	1	n.n.
Hexythiazox	LC-MS/MS	3.6**	1	n.n.
Imazalil	LC-MS/MS	3**	1	n.n.
Imidacloprid	LC-MS/MS	7.2**	1	n.n.
Kresoxim-methyl	LC-MS/MS	48**	1	n.n.
Metaxyl	LC-MS/MS	9.6**	1	n.n.
Methiocarb (Mercaptodimethur)	LC-MS/MS	1.56**	1	n.n.
Methomyl	LC-MS/MS	0.3**	0.1	n.n.
Mevinphos	LC-MS/MS	0.096**	0.05	n.n.
MGK 264 (N-Octyl-bicyclohepten-dicarboximid)	LC-MS/MS	8.4**	0.2	n.n.
Myclobutanil	LC-MS/MS	3**	1	n.n.
Naled	GC-MS/MS	0.01***	0.5	n.n.
Oxamyl	LC-MS/MS	0.12**	0.05	n.n.
Paclobutrazol	LC-MS/MS	2.64**	1	n.n.

Messergebnisse beziehen sich ausschließlich auf die uns vorliegenden Prüfobjekte.
Prüfberichte dürfen ohne Genehmigung der WESSLING GmbH nicht auszugsweise vervielfältigt werden.
GMP-Compliance-Zertifikate: DE_NW_05_GMP_2024_0035 / DE_NW_06_GMP_2023_0007
Herstellungs-/Einfuhrerlaubnisse: DE_NW_05_MIA_2024_0018 / DE_NW_06_MIA_2023_0002

Geschäftsführer:
Sven Polenz
Martin Stener
Thomas Symura
HRB 1953 AG Steinfurt

Report-No.: CMS25-007183-1
 Sample-No.: 25-057821-07
 Order-No.: CMS-02521-25
 Date: 12.05.2025



WESSLING GmbH
 Johann-Krane-Weg 42 · 48149 Münster
 www.wessling.de

Certificate of Analysis

Sample:	Nedcann JOG 23/01	Page 5 of 5
---------	-------------------	-------------

Parameter in mg/kg	Method	Limit value	Limit of Quantification	Result
Prallethrin	LC-MS/MS	2.4**	0.2	n.n.
Propiconazol	LC-MS/MS	4.8**	1	n.n.
Propoxur	LC-MS/MS	2.4**	1	n.n.
Pyridaben	LC-MS/MS	1.2**	0.5	n.n.
Spinetoram (J+L)	LC-MS/MS	3**	1	n.n.
Spinosad (Spinosyn A+D)	LC-MS/MS	2.88**	1	n.n.
Spiromesifen	LC-MS/MS	3.6**	1	n.n.
Spirotetramat	LC-MS/MS	6**	1	n.n.
Spiroxamin	LC-MS/MS	3**	1	n.n.
Tebuconazol	LC-MS/MS	3.6**	1	n.n.
Thiacloprid	LC-MS/MS	1.2**	1	n.n.
Thiametoxam	LC-MS/MS	3.12**	1	n.n.
Trifloxystrobin	LC-MS/MS	4.8**	1	n.n.

n.n. = below limit of quantification

*executive site: cooperation lab

** risk based pesticide, limit value according to Ph.Eur. calculated via ADI (assumed daily uptake: 5g)

*** risk based pesticide, ADI not determinable, limit value: 0,01 mg/kg (pesticide not permitted 396/2005)

Due to technical limitations, the LOQ of the pesticides chlorothal-dimethyl, cyfluthrin, flucytrinate and tau-fluvalinate is above the Pharm. Eur. limit but below the toxicological limit (calculated assuming a daily dose of 5 g). Furthermore, the LOQ of the pesticides methoxychlor, mirex, chlordane (sum of cis-, trans- and oxy-) and pentachloroanisole is above the established limit specified by Pharm. Eur. The pesticide tetradifone is not measurable due to the complexity of the matrix (see INC No. 210482).

Parameter	Method	max. permitted amount in mg/kg	LOQ in mg/kg	Result in mg/kg**
Dithiocarbamate	VA15010, Ph. Eur. 2.8.13*			
Dithiocarbamate as CS2	Headspace-GC/MS	2.0	0.5	n.n.

*executive site: cooperation lab

**LOQ = Limit of Quantification, n.n = below LOQ

Evaluation: Regarding the tested parameters the sample complies with acceptance criteria submitted by customer.

Project Manager
 M. Sc. Biotechnology

Head of Laboratory
 M. Sc. Chemistry